

40 JEEP
4WD/2WD



JEEP TJ WRANGLER STAGE I 4WD

Year	Application	Front / Rear Ride Height (2)	Recommended Tire Size	Complete Kit	Kit Breakdown (included in complete kit)		
				Complete Kit ES Series or MX6	Front / Rear Kit	Front Coils	Rear Coils
97-06	TJ Wrangler / Unlimited	1.5" / 1.5"	31"x10.50"	K3054 (3,6) K3054MX (3,6)	55415 55415	Spacer Spacer	Spacer Spacer
97-06	TJ Wrangler / Unlimited	2.0" / 2.0"	32"x11.50"	K3055 (3,6) K3055MX (3,6)	— —	55297 55297	55298 55298
03-06	TJ Wrangler / Rubicon w/hard top w/soft top	4.0" / 4.0"	33"x12.50"	K3076B (3,5) K3077BMX (3,5) K3078BMX (3,5)	55695B 55695B 55695B	55497 55497 55497	55498 55498 55498
04-06	Wrangler Unlimited/ Rubicon	4.0" / 4.0"	33"x12.50"	K3084B (3,5) K3084BMX (3,5)	55695B 55695B	55497 55497	55404 55404
97-02	TJ Wrangler	4.0" / 4.0"	33"x12.50"	K3056B (3,5) K3056BMX (3,5)	55495B 55495B	55497 55497	55498 55498

JEEP TJ WRANGLER STAGE II 4WD

97-02	TJ Wrangler	4.0" / 4.0"	33"x12.50"	K3057B (3,5) K3057BMX (3,5)	55499B (1) 55499B (1)	55497 55497	55498 55498
-------	-------------	-------------	------------	--------------------------------	--------------------------	----------------	----------------

Important Ordering Notes

- Rear pinion adjustment cams P/N 20-65225 can be used for tuning pinion angle for minor driveline vibration correction.
 - Removal of front skid plate on vehicles with automatic transmissions is required for driveshaft clearance when transfer case lowering hardware is used.
 - Coil spacer P/N 55496 can be used to increase front ride height by 1" when additional accessories (winch, winch bumper, trail equipment) are added.
 - P/N 90-6048B contains 16 bushings and 8 bushing sleeves.
1. Box kit P/N 55499B, adds Pro Comp's exclusive cross link braced front track bar drop and a drop pitman arm. 97-02 models only.
 2. All ride height increases are approximate and will vary due to vehicle specifications (engine size, factory suspension options, trail equipment, etc).
 3. Driveline modifications may be required for height increases over 2" due to increased driveline angles.
 4. Add G to the end of crawler bumper P/N for gunmetal gray finish.
 5. Front and rear lower arms, transfer case lowering hardware, and extended sway bar links included in all 4" box kits.
 6. Transfer case lowering hardware kit P/N 55589 (97-02 only) can be used for minor driveline vibration correction.





Kit breakdown continued

OPTIONAL EQUIPMENT

Front Shocks x2	Rear Shocks x2	Adjustable Front Track Bar	Steering Stabilizer	Crawler Bumpers Front / Rear (4)	Replacement Lower Arm Bushings
321515	321500	—	219200	66164 / 66165	—
MX6093	MX6094	—	219200	66164 / 66165	—
321515	321500	—	219200	66164 / 66165	—
MX6093	MX6094	—	219200	66164 / 66165	—
324515	323509	JTB400	219200	66164 / 66165	90-6048B
MX6021	MX6023	JTB400	219200	66164 / 66165	90-6048B
MX6021	MX6106	JTB400	219200	66164 / 66165	90-6048B
324515	323509	JTB400	219200	66164 / 66165	90-6048B
MX6021	MX6023	JTB400	219200	66164 / 66165	90-6048B
324515	324509	JTB400	219200	66164 / 66165	90-6048B
MX6021	MX6023	JTB400	219200	66164 / 66165	90-6048B
324515	324509	—	219200	66164 / 66165	90-6048B
MX6021	MX6023	—	219200	66164 / 66165	90-6048B

Tailshaft Conversion

This short shaft or slip yoke eliminator kit P/N 4007 shortens the T-case allowing you to run a 4" longer CV style drive shaft. Combined with a CV style drive shaft (sold separately) it helps eliminate driveline vibration and the friction of the factory slip yoke design. It also improves driveline angles and eliminates in most cases the need for a transfer case lowering kit. This improves ground clearance since the skid pan is not lowered. The new main shaft is close to 20% larger than factory and will take the added torque of 4 to 1 conversions, additional horsepower and larger tires. This kit fits all 231 equipped YJ's and TJ's. It also fits XJ's with manual transmissions.



TJ CV rear driveshaft P/N 4042

Pro Comp System Features

These systems feature solid and simple, tubular chromoly lower control arms for improved strength compared to the factory units. These arms use unique, reverse hour-glass urethane bushings that increase off-road articulation and do not compromise on-road handling. Ideal spring rates and monotube adjustable MX6 shock absorbers are other key contributors to excellent road and trail manners. Necessary components like, transfer case lowering hardware, transfer case shifter and rear track bar relocation brackets along with extended bump stops and sway bar links complete a worthy package that is a step above your basic or entry level kits.



K3056B - 4" LIFT

Hot Options!

Premium MX6 6-way adjustable gas stabilized shock absorbers are available.



Ideally suited to level your vehicle. In stock form or for vehicles with winches, snow plows, motor conversions, etc. Sold in pairs. P/N 55496



Crawler bumper allows steep approach and departure angles. P/N 66164/66165.



Pro Comp's high quality adjustable track bar is a trail smart upgrade for any system with 2" - 5" suspension lifts. This adjustable track bar keeps the front axle of a lifted Jeep in the correct location to reduce bump steer and to keep the vehicle tracking down the road straight. P/N JTB400 is manufactured with U.S. 4130 chromoly tubing and includes an aircraft quality high angle rod end for the frame mount. Grade 8 hardware and durable urethane bushings complete this US made suspension upgrade.



JEEP YJ WRANGLER COIL SPRING CONVERSION KITS

Year	Application	Front / Rear Ride Height (1)	Recommended Tire Size	Complete Kit	Kit Breakdown (included in complete kit)		
				Complete Kit ES Series or MX6	Front / Rear Box Kit	Front Coil Springs	Tie Down Rings
94-96	YJ Wrangler CSC Soft top	5.0" / 5.0"	33"x12.50"	K3052B (6,7) K3052BMX (6,7)	55099B 55099BMX	Included Included	Included Included
94-96	YJ Wrangler CSC Hard top	5.0" / 5.0"	33"x12.50"	K3053B (6,7) K3053BMX (6,7)	55199B 55199BMX	Included Included	Included Included

JEEP YJ WRANGLER LEAF KITS

Year	Application	Front/Rear Ride Height (2)	Recommended Tire Size	Complete Kit	Front Kit	Front (4) Springs x2	Rear Kit
				Complete Kit ES Series or MX6	Front Kit	Front (4) Springs x2	Rear Kit
87-96	YJ Wrangler	2.5" / 2.5"	31"x10.50"	K3061B K3061BMX	55089B 55089B	51313 51313	50070 50070
87-96	YJ Wrangler	4.0" / 4.0" (1)	33"x12.50"	K3062B K3062BMX	55089B 55089B	51413 51413	50070 50070

JEEP CJ / DJ 4WD & 2WD LEAF KITS

Year	Application	Front/Rear Ride Height (2)	Recommended Tire Size	Complete Kit	Front Kit	Front Springs x2	Rear Kit
				Complete Kit ES Series or MX6	Front Kit	Front Springs x2	Rear Kit
82-86	CJ5, CJ7 4WD	2.5" / 2.5" (1)	32"x11.50"	K3063 K3063MX	50010 50010	51212 51212	50020 50020
82-86	CJ5, CJ7 4WD	4.0" / 4.0" (1)	33"x12.50"	K3064 K3064MX	50010 50010	51412 51412	50020 50020
82-86	CJ5, CJ7 4WD w/ Dana 44	2.5" / 2.5" (1)	32"x11.50"	K3065 K3065MX	50010 50010	51212 51212	50030 50030
82-86	CJ5, CJ7 4WD w/ Dana 44	4.0" / 4.0" (1)	33"x12.50"	K3066 K3066MX	50010 50010	51412 51412	50030 50030
76-81	CJ5, CJ7 4WD	2.5" / 2.5" (1)	32"x11.50"	K3075 K3075MX	50010 50010	51212 51212	50020 50020
77-81	CJ5, CJ7 4WD	4.0" / 4.0" (1)	33"x12.50"	K3067 K3067MX	50010 50010	51412 51412	50020 50020
76-81	CJ5, CJ7 4WD	4.0" / 4.0" (1)	33"x12.50"	K3068 K3068MX	50010 50010	51412 51412	50020 50020
72-75	CJ5, CJ6, DJ5, 4WD/2WD	2.5" / 2.5" (1)	32"x11.50"	K3069 K3069MX	50010 50010	51213 51213	50030 50030
69-71	CJ5, CJ6 4WD	2.5" / 2.5" (1)	32"x11.50"	K3070 K3070MX	50040 50040	51213 51213	50030 50030
53-68	CJ5, CJ6	2.5" / 2.5" (1)	32"x11.50"	K3071 K3071MX	50040 50040	51213 51213	50020 50020

Important Ordering Notes

1. Driveline modifications may be necessary.
2. All ride height increases are approximate and will vary due to vehicle specification (engine size, factory suspension options , trail equipment, etc).
3. Pitman arm is used on vehicles with power steering only.
4. Leaf spring bushings are included in P/N 55089B kit.
5. Add G to the end of Crawler bumper P/N for gunmetal gray finish.
6. Transfer Case Tailshaft Kit P/N 4007 and CV rear driveshaft required. See sidebar.
7. Coil spring conversion kit.

System Features

- Industry #1 selling CJ/YJ lift springs
- Progressive rate diamond cut springs
- Spring rates ideally suited for heavily equipped vehicles
- YJ box kits include: front and rear track bar relocation brackets, extended sway bar links, extended bump stops, front U-bolts and transfer case lowering hardware
- 4" pitman arm available for CJ's and YJ's with power steering
- Extended braided stainless brake lines available for positive break response
- MX6 suspension packages available



Premium MX6 6-way adjustable gas stabilized shock absorbers are available.

K3061B - 2.5" LIFT





Kit breakdown continued

Rear Coil Springs **Brake Line Kit** **Pitman Arm (3)** **Front Shocks x2** **Rear Shocks x2** **Steering Stabilizer**

Included	Included	Included	Included	Included	Included
Included	Included	Included	Included	Included	Included

OPTIONAL EQUIPMENT

Crawler Bumpers Front / Rear (5) **Steering Gearbox Brace**

66164 / 66165	55070B
66164 / 66165	55070B
66164 / 66165	55070B
66164 / 66165	55070B

Rear (4) Springs x2 **Brake Line Kit** **Pitman Arm (3)** **Front Shocks x2** **Rear Shocks x2** **Transfer Case Lowering Kit**

51323	---	---	326510	322500	Included (6)
51323	---	---	MX6013	MX6014	Included (6)
51423	7425	YJ400	329510	324509	Included (6)
51423	7425	YJ400	MX6026	MX6027	Included (6)

Crawler bumpers Front / Rear (5) **Steering Gearbox Brace** **Steering Stabilizer**

66164 / 66165	55070B	219200
66164 / 66165	55070B	219200
66164 / 66165	55070B	219200
66164 / 66165	55070B	219200

Hot Options!



Tailshaft conversion kit/CV rear driveshaft.
 • 4007 for NP231 transfer case only
 • 4041 driveshaft fits 94-96 models only
 • 4040 driveshaft fits 87-93 models



Crawler bumper allows steep approach and departure angles. P/N 66163 & 66165.



Stylish and functional bolt on auxiliary light bar P/N 13000. See light bar page more details.



Steering Brace helps support the Jeep steering box. Easy installation, complete with instructions. P/N 55060B & 55070B.



Hi-capacity heat-treated aluminum front differential covers available for CJ and YJ. See differential covers page for more details.

Kit breakdown continued

Rear Springs x2 **Brake Line Kit** **Pitman Arm (3)** **Front Shocks x2** **Rear Shocks x2** **Transfer Case Lowering Kit**

51222	---	---	321500	322500	---
51222	---	---	MX6010	MX6011	---
51422	7405	CJ400	324509	324509	55076
51422	7405	CJ400	MX6031	MX6031	55076

OPTIONAL EQUIPMENT

Crawler bumpers Front / Rear (5) **Steering Gearbox Brace** **Steering Stabilizer**

66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508

51222	---	---	321500	322500	---
51222	---	---	MX6010	MX6011	---
51422	7405	CJ400	324509	324509	55076
51422	7405	CJ400	MX6031	MX6031	55076

66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508

51222	---	---	319500	322500	---
51222	---	---	MX6058	MX6010	---
51422	7410	CJ400	324509	324509	55076
51422	7410	CJ400	MX6031	MX6031	55076

66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
66164 / 66163	55060B	220508

51422	---	CJ400	324509	324509	55076
51422	---	CJ400	MX6031	MX6031	55076
51223	---	---	321500	321500	---
51223	---	---	MX6030	MX6030	---

66164 / 66163	55060B	220508
66164 / 66163	55060B	220508
---	---	220508
---	---	220508

51223	---	---	320500	322500	---
51223	---	---	MX6030	MX6030	---
51223	---	---	320500	322500	---
51223	---	---	MX6030	MX6030	---

---	---	220508
---	---	220508
---	---	220508
---	---	220508

Coil Spring Conversion System Features

- 5" lift provides clearance for 33" tires on 8" wide rims
- 10" of functional wheel travel
- Coil springs designed and rated exclusively for the YJ
- Trac bar relocation brackets and dropped forged pitman arm
- Includes ES9000 shock absorbers
- MX6 suspension packages available
- ES2000 steering stabilizer included
- 4-link chromoly series control arms
- Complete bolt-on installation

Coil Spring Conversion System - 5" LIFT



44 JEEP
4WD/2WD

JEEP XJ CHEROKEE MID-SIZE 4WD & 2WD



Year	Application	Front/Rear Ride Height (1)	Recommended Tire Size	Complete Kit	Kit Breakdown (included in complete kit)		
				w/ES Series or MX6 Kit	Front	Front Coil Springs	Rear U-bolt Kit
84-01	XJ Cherokee 4WD/2WD	3.0" / 2.0"	31"x10.50"	K3058B (3) K3058BMX	55590B 55590B	55592 55592	50050 (2) 50050 (2)

JEEP ZJ GRAND CHEROKEE 4WD & 2WD

Year	Application	Front/Rear Ride Height (1)	Recommended Tire Size	Complete Kit	Kit Breakdown (included in complete kit)		
				w/ES Series or MX6 Box Kit	Front / Rear	Front Coil Springs	Rear Coil Springs
92-98	ZJ Grand Cherokee 4WD/2WD	3.0" / 2.5"	31"x10.50"	K3059B (3) K3059BMX	55591B 55591B	55598 55598	55593 55593

Important Ordering Notes

1. All ride height increases are approximate and will vary due to vehicle specification (engine size, factory suspension options , trail equipment, etc).
 2. Cherokees are equipped with different diameter rear axles. Use P/N 50055 rear u-bolts for 2.75" diameter. P/N 50050 for 3.25" diameter. Please determine axle dimensions before ordering.
 3. Vehicles equipped with light duty, double offset joint (rubber boot) front driveshafts must be replaced with Spicer constant velocity (CV) type if driveline vibration occurs. Additional driveline modifications may be required for height increases over 2".
 4. Coil spacer P/N 55496 can be used to increase front ride height by 1". Recommended for Cherokee when using P/N 53111 rear springs.
- * Replacement rear spring bushings P/N 90-3801 are sold as a set for one P/N 53111 spring.





Kit breakdown continued

Kit breakdown continued				OPTIONAL EQUIPMENT			
Sway Bar Link Kit	Rear Kit Add-a-leaf	Front Shocks x2	Rear Shocks x2	Adjustable Front Track Bar	1" Front Coil Spacer	Steering Stabilizer	Rear Leaf Springs 3.5"-4" Lift
55597B	13120	324515	322500	JTB400	55496	219200	53111* (1,4)
55597B	13120	MX6021	MX6034	JTB400	55496	219200	53111* (1,4)

Kit breakdown continued

Kit breakdown continued				OPTIONAL EQUIPMENT		
Sway Bar Link Kit	Rear Kit Add-a-leaf	Front Shocks x2	Rear Shocks x2	Adjustable Front Track bar	1" Front Coil Spacer	Steering Stabilizer
55597B	—	324515	324509	JTB400	55496	219200
55597B	—	MX6021	MX6032	JTB400	55496	219200



Hi-capacity heat-treated aluminum rear differential covers available for Dana 35 rear axle. See differential page for more details.



Premium MX6 6-way adjustable gas stabilized shock absorbers are available.



Ideally suited to level your vehicle. In stock form or for vehicles with winches, snow plows, motor conversions, etc. Sold in pairs. P/N 55496



K3058B - 3" LIFT



K3059B - 3" LIFT



Optional leaf springs raise the rear 3.5"-4". P/N 53111 See leaf spring page for more details.

Pro Comp System Features

Pro Comp's affordable entry level systems come with chromoly lower control arms with reverse hourglass urethane bushings improve articulation and do not compromise on road handling. The XJ and ZJ kits include a front track bar relocation bracket with tailored spring rate for Cherokee and Grand Cherokee. 3" lift provides clearance for 31" tires on factory rims. Dial in your ride to perfection with an MX6 suspension package.

Pro Comp's high quality adjustable track bar is a trail smart upgrade for any system with 2" - 5" suspension lifts. This adjustable track bar keeps the front axle of a lifted Jeep in the correct location to reduce bump steer and to keep the vehicle tracking down the road straight. P/N JTB400 is manufactured with U.S. 4130 chromoly tubing and includes an aircraft quality high angle rod end for the frame mount. Grade 8 hardware and durable urethane bushings complete this US made suspension upgrade.

